

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2803	429//13	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 16:13
L2	7	1 and (fuel adj cell\$2) and (coolant same water same (tank reservoir vessel contain \$4)) and humidifier and ((temperature near5 control\$4) same coolant) and ((heat near exchang\$3) radiator\$2) and control \$4 and bypass\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 16:13
L4	1209	429//20	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 16:20
L5	2	4 and (fuel adj cell\$2) and (coolant same water same (tank reservoir vessel contain \$4)) and humidifier and ((temperature near5 control\$4) same coolant) and ((heat near exchang\$3) radiator\$2) and control \$4 and bypass\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 16:20
L6	1217	429//22	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 16:21
L7	4	6 and (fuel adj cell\$2) and (coolant same water same (tank reservoir vessel contain \$4)) and humidifier and ((temperature near5 control\$4) same coolant) and ((heat near exchang\$3) radiator\$2) and control \$4 and bypass\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 16:21
L8	871	429//24	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 16:22

L9	7	8 and (fuel adj cell\$2) and (coolant same water same (tank reservoir vessel contain \$4)) and humidifier and ((temperature near5 control\$4) same coolant) and ((heat near exchang\$3) radiator\$2) and control \$4 and bypass\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 16:22
L10	1	8 and (fuel adj cell\$2) and (coolant same water same (tank reservoir vessel contain \$4)) and humidifier and ((temperature near5 control\$4) same coolant) and ((heat near exchang\$3) radiator\$2) and control \$4 and bypass\$4 and (heater heating)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 16:24
L11	2077	429//26	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 16:26
L12	3	11 and (fuel adj cell\$2) and (coolant same water same (tank reservoir vessel contain \$4)) and humidifier and ((temperature near5 control\$4) same coolant) and ((heat near exchang\$3) radiator\$2) and control \$4 and bypass\$4 and (heater heating)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 16:27
L13	1343	429//39	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 16:29
L14	1	13 and (fuel adj cell\$2) and (coolant same water same (tank reservoir vessel contain \$4)) and humidifier and ((temperature near5 control\$4) same coolant) and ((heat near exchang\$3) radiator\$2) and control \$4 and bypass\$4 and (heater heating)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 16:29

L15	5	(fuel adj cell\$2) and (coolant same water same (tank reservoir vessel contain\$4)) and humidifier and ((temperature near5 control\$4) same coolant) and ((heat near exchang\$3) radiator\$2) and control \$4 and bypass\$4 and (heater heating)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 16:30
L16	26	(fuel adj cell\$2) and (coolant same water same (tank reservoir vessel contain\$4)) and humidifier and ((temperature near5 control\$4) same coolant) and ((heat near exchang\$3) radiator\$2) and control \$4 and (heater heating)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 16:32
L17	2	(fuel adj cell\$2) and (coolant same water same (tank reservoir vessel contain\$4)) and humidifier and ((temperature near5 control\$4) same coolant) and ((heat near exchang\$3) radiator\$2) and control \$4 and (heater heating)	EPO; JPO; DERWENT	OR	OFF	2008/04/11 16:53
L18	0	((fuel adj cell\$2) and (coolant same water same (tank reservoir vessel contain\$4)) and humidifier and ((temperature near5 control\$4) same coolant) and ((heat near exchang\$3) radiator\$2) and control \$4 and bypass\$4 and (heater heating)).clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 16:55

L19	3	((fuel adj cell\$2) and (coolant same water same (tank reservoir vessel contain\$4)) and humidi\$7 and control \$4 and ((heat near exchang\$3) radiator\$2) and control\$4 and bypass\$4 and (heater heating)).clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 16:56
L20	38	(sakai same hiromasa). in.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 17:05
L21	4	(sakai same hiromasa). in. and (fuel adj cell\$2) and water and tank and (heat near exchang \$3) and temperature\$2	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/11 17:05
S1	2459	429//13	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 15:30
S2	6	S1 and (fuel adj cell\$2) and (coolant same water same (tank reservoir vessel contain \$4)) and humidifier and ((temperature near5 control\$4) same coolant) and ((heat near exchang\$3) radiator\$2) and control \$4 and bypass\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 15:30
S3	1068	429//20	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 15:30
S4	2	S3 and (fuel adj cell\$2) and (coolant same water same (tank reservoir vessel contain \$4)) and humidifier and ((temperature near5 control\$4) same coolant) and ((heat near exchang\$3) radiator\$2) and control \$4 and bypass\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 15:30
S5	1030	429//22	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 15:31

S6	3	S5 and (fuel adj cell\$2) and (coolant same water same (tank reservoir vessel contain \$4)) and humidifier and ((temperature near5 control\$4) same coolant) and ((heat near exchang\$3) radiator\$2) and control \$4 and bypass\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 15:31
S7	738	429//24	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 15:32
S8	6	S7 and (fuel adj cell\$2) and (coolant same water same (tank reservoir vessel contain \$4)) and humidifier and ((temperature near5 control\$4) same coolant) and ((heat near exchang\$3) radiator\$2) and control \$4 and bypass\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 15:32
S9	1818	429//26	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 15:33
S10	6	S9 and (fuel adj cell\$2) and (coolant same water same (tank reservoir vessel contain \$4)) and humidifier and ((temperature near5 control\$4) same coolant) and ((heat near exchang\$3) radiator\$2) and control \$4 and bypass\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 15:33
S11	1207	429//39	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 15:33
S12	1	S11 and (fuel adj cell \$2) and (coolant same water same (tank reservoir vessel contain \$4)) and humidifier and ((temperature near5 control\$4) same coolant) and ((heat near exchang\$3) radiator\$2) and control \$4 and bypass\$4	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 15:34

S13	11	(fuel adj cell\$2) and (coolant same water same (tank reservoir vessel contain\$4)) and humidifier and ((temperature near5 control\$4) same coolant) and ((heat near exchang\$3) radiator\$2) and control \$4 and bypass\$4 and coolant	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 15:58
S14	0	H001M008/00	EPO; JPO; DERWENT	OR	OFF	2007/01/28 15:35
S15	8047	H01M008/00	EPO; JPO; DERWENT	OR	OFF	2007/01/28 15:37
S16	0	S15 and (fuel adj cell \$2) and coolant and humidifier and ((heat near exchang\$3) radiator\$2) and control \$4 and coolant	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 15:37
S17	1	S15 and (fuel adj cell \$2) and coolant and humidifier and ((heat near exchang\$3) radiator\$2) and control \$4	EPO; JPO; DERWENT	OR	OFF	2007/01/28 15:37
S18	27741	H01M008/04	EPO; JPO; DERWENT	OR	OFF	2007/01/28 15:38
S19	5	S18 and (fuel adj cell \$2) and coolant and humidifier and ((heat near exchang\$3) radiator\$2) and control \$4	EPO; JPO; DERWENT	OR	OFF	2007/01/28 15:38
S20	1627	H01M008/18	EPO; JPO; DERWENT	OR	OFF	2007/01/28 15:39
S21	0	S20 and (fuel adj cell \$2) and coolant and humidifier and ((heat near exchang\$3) radiator\$2) and control \$4	EPO; JPO; DERWENT	OR	OFF	2007/01/28 15:39
S22	7670	H01M008/12	EPO; JPO; DERWENT	OR	OFF	2007/01/28 15:39

S23	0	S22 and (fuel adj cell \$2) and coolant and humidifier and ((heat near exchang\$3) radiator\$2) and control \$4	EPO; JPO; DERWENT	OR	OFF	2007/01/28 15:39
S24	2474	H01M002/14	EPO; JPO; DERWENT	OR	OFF	2007/01/28 15:39
S25	0	S24 and (fuel adj cell \$2) and coolant and humidifier and ((heat near exchang\$3) radiator\$2) and control \$4	EPO; JPO; DERWENT	OR	OFF	2007/01/28 15:39
S26	4	(fuel adj cell\$2) and (coolant near\$5 bypass \$3) and (bypass\$3 near\$5 radiator (heat near exchanger\$3)) and switch\$4 and control\$4 and temperature and recirc \$6	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 16:11
S27	56	(fuel adj cell\$2) and (coolant near\$5 bypass \$3) and (bypass\$3 near\$5 radiator (heat near exchanger\$3)) and switch\$4 and control\$4 and temperature	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 16:16
S28	24510	((kanai same yasushi) (okamoto hideo)).in.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 16:19
S29	25	((kanai same yasushi) (okamoto same hideo)).in.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 16:19
S30	12	((kanai same yasushi) (okamoto same hideo)).in. and honda	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 16:19
S31	8	((kanai same yasushi) (okamoto same hideo)).in. and honda and (fuel adj cell\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 16:19
S32	3	((kanai same yasushi) (okamoto same hideo)).in. and honda and (fuel adj cell\$2) and humid \$6	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/28 16:20
S33	1	"6696192".pn.	USPAT	OR	OFF	2007/01/28 16:21

S34	0	S33 and radiator and coolant	USPAT	OR	OFF	2007/01/28 16:21
S35	0	S33 and coolant	USPAT	OR	OFF	2007/01/28 16:21
S36	1	S33 and cool\$4	USPAT	OR	OFF	2007/01/28 16:22
S37	1	S33 and cool\$4 and heat\$3	USPAT	OR	OFF	2007/01/28 16:33
S38	0	S33 and cool\$4 and tempreature and regulat\$3	USPAT	OR	OFF	2007/01/28 16:33
S39	0	S33 and cool\$4 and tempreature	USPAT	OR	OFF	2007/01/28 16:33
S40	1	S33 and cool\$4 and temperature and regulat\$4	USPAT	OR	OFF	2007/01/28 16:34
S41	1	S33 and cool\$4 and bypass\$4	USPAT	OR	OFF	2007/01/28 16:46
S42	1	S33 and cool\$4 and water and (circul\$6 recirc\$6)	USPAT	OR	OFF	2007/01/28 17:10
S43	1	S33 and (fuel adj cell \$2) and tank and humidif\$6	USPAT	OR	OFF	2007/01/28 17:11
S44	0	"20010021468"	USPAT	OR	OFF	2007/01/28 17:11
S45	1	"20010021468"	US-PGPUB	OR	OFF	2007/01/30 17:11
S46	1	S43 and (fuel adj cell \$2) and tank and humidif\$6	USPAT	OR	OFF	2007/01/28 17:12
S47	0	S45 and (fuel adj cell \$2) and tank and humidif\$6	USPAT	OR	OFF	2007/01/28 17:12
S48	1	S45 and (fuel adj cell \$2) and tank and humidif\$6	US-PGPUB	OR	OFF	2007/01/28 17:19
S49	1	S45 and heater	US-PGPUB	OR	OFF	2007/01/28 17:20
S50	1	S45 and (heat\$3 same tank)	US-PGPUB	OR	OFF	2007/01/28 17:26
S51	1	S45 and ((coolant water) same heater)	US-PGPUB	OR	OFF	2007/01/28 17:28
S52	1	S45 and "6"	US-PGPUB	OR	OFF	2007/01/28 17:29
S53	1	S45 and pump	US-PGPUB	OR	OFF	2007/01/28 17:45

S54	1	S45 and control\$4	US-PGPUB	OR	OFF	2007/01/28 17:46
S55	0	S45 and control\$4 and startup	US-PGPUB	OR	OFF	2007/01/28 17:46
S56	1	S45 and control\$4 and start\$4	US-PGPUB	OR	OFF	2007/01/28 17:46
S57	1	S45 and control\$4 and start\$4 and "7" and (coolant water)	US-PGPUB	OR	OFF	2007/01/28 17:50
S58	1	S45 and (control\$4 same "7")	US-PGPUB	OR	OFF	2007/01/28 17:57
S59	1	S45 and sensor\$2	US-PGPUB	OR	OFF	2007/01/28 17:57
S60	1	S45 and sensor\$2 same temperature	US-PGPUB	OR	OFF	2007/01/28 18:22
S61	1	S45 and sensor\$2	US-PGPUB	OR	OFF	2007/01/28 18:02
S62	1	S45 and condenser	US-PGPUB	OR	OFF	2007/01/28 18:03
S63	1	S45 and bypass\$3 and fin\$2	US-PGPUB	OR	OFF	2007/01/28 18:06
S64	1	S45 and (heat near exchang\$3)	US-PGPUB	OR	OFF	2007/01/28 18:06
S65	1	S45 and switch\$4	US-PGPUB	OR	OFF	2007/01/28 18:29
S66	1	10/529040	US-PGPUB	OR	OFF	2007/08/03 11:23
S67	33	(fuel adj cell\$2) and (coolant near3 bypass \$3) and (radiator near bypass\$3) and (valve switch) and (radiator (heat near exchang \$2))	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/29 10:16
S68	1	"20030064262"	US-PGPUB	OR	OFF	2007/01/30 16:56
S69	1	10/529040	US-PGPUB	OR	OFF	2007/01/30 16:56
S70	1	"20010021468"	US-PGPUB	OR	OFF	2007/01/30 17:11
S71	1	S70 and bypass\$4 and tank	US-PGPUB	OR	OFF	2007/01/30 17:12
S72	1	S68 and bypass\$4 and tank	US-PGPUB	OR	OFF	2007/01/30 17:12
S73	1	"6071645".pn.	USPAT	OR	OFF	2007/07/27 12:33

S74	1	S73 and zr	USPAT	OR	OFF	2007/07/27 12:48
S75	1	S73 and substit\$5	USPAT	OR	OFF	2007/07/27 12:51
S76	1	S73 and substit\$5 and transition\$4	USPAT	OR	OFF	2007/07/27 12:56
S77	1	S73 and mol\$4	USPAT	OR	OFF	2007/07/27 13:20
S78	0	S73 and preparat\$4	USPAT	OR	OFF	2007/07/27 13:20
S79	0	S73 and preparation	USPAT	OR	OFF	2007/07/27 13:20
S80	1	S73 and production	USPAT	OR	OFF	2007/07/27 13:28
S81	1	S73 and cobalt	USPAT	OR	OFF	2007/07/27 13:28
S82	1	S73 and hydroxide\$2	USPAT	OR	OFF	2007/07/27 13:31
S83	1	S73 and hydroxide\$2 and (oxygen near3 compound)	USPAT	OR	OFF	2007/07/27 13:31
S84	1	"20010021468"	US-PGPUB	OR	OFF	2007/07/30 10:50
S85	1	"20010021468"	US-PGPUB	OR	OFF	2007/08/01 11:29
S86	1	S85 and control\$3	US-PGPUB	OR	OFF	2007/08/01 11:43
S87	0	S85 and control\$3 same heat\$3	US-PGPUB	OR	OFF	2007/08/01 11:30
S88	1	S85 and control\$3 same temperature	US-PGPUB	OR	OFF	2007/08/01 11:31
S89	1	S85 and control\$3 same sensor\$3	US-PGPUB	OR	OFF	2007/08/01 11:31
S90	0	S85 and control\$3 same sens\$5 same temperature	US-PGPUB	OR	OFF	2007/08/01 11:31
S91	0	S85 and (control\$3 same sens\$5 same temperature)	US-PGPUB	OR	OFF	2007/08/01 11:32
S92	1	S85 and (control\$3 same sens\$5) and temperature	US-PGPUB	OR	OFF	2007/08/01 11:39
S93	1	S85 and catal\$5	US-PGPUB	OR	OFF	2007/08/01 11:40
S94	1	10/529040	US-PGPUB	OR	OFF	2007/08/01 11:40

S95	1	S94 and catal\$5	US-PGPUB	OR	OFF	2007/08/01 11:41
S96	0	S85 and combustor	US-PGPUB	OR	OFF	2007/08/01 11:41
S97	0	S85 and burner	US-PGPUB	OR	OFF	2007/08/01 11:41
S98	1	S85 and "1" and "2" and "3" and "4" and "18"	US-PGPUB	OR	OFF	2007/08/01 11:43
S99	44	(fuel adj cell\$2) and (((heat near2 exchanger) radiator\$2) near5 (combustor burner)) same coolant)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/02 11:28
S100	44	(fuel adj cell\$2) and (((heat near2 exchanger) radiator\$2) near5 (combustor burner)) same coolant) and coolant	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/02 12:31
S101	34	(fuel adj cell\$2) and (((heat near2 exchanger) radiator\$2) near5 (combustor burner)) same coolant) and coolant and (tank reservoir)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/02 12:32
S102	1	"7052787".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/02 12:32
S103	1	S102 and (fuel adj cell \$2) and (((heat near2 exchanger) radiator\$2) near5 (combustor burner)) same coolant) and coolant and (tank reservoir)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/02 12:33
S104	1	S102 and "11" and "55" and "21"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/02 12:34
S105	1	"20010021468"	US-PGPUB	OR	OFF	2007/08/02 14:47
S106	1	S105 and vehicle	US-PGPUB	OR	OFF	2007/08/02 14:47
S107	1	10/529040	US-PGPUB	OR	OFF	2007/08/03 11:23
S108	1	S107 and (catalyst\$2 same temperature same sensor\$2)	US-PGPUB	OR	OFF	2007/08/03 11:24
S109	1	10/529040	US-PGPUB	OR	OFF	2008/04/10 14:42

4/11/2008 5:41:01 PM

C:\Documents and Settings\blewis\My Documents\EAST\Workspaces\10529040.wsp